





ADDENDUM #1
Acceptable English Bits



Ring snaffle




Kimberwick




Egg-butt snaffle (a) without cheeks (b) with cheeks




D Ring Snaffle




Double-jointed snaffle



Half-moon pelham




Proper use of Pelham Bit
Two Reins - No Converters




Jointed pelham


ADDENDUM #2
Examples of
Unacceptable English Bits




Slow Twist




Single Twisted Wire




Double Twisted Wire



Corkscrew




Triangular Mouth




Excessive Port


**ADDENDUM #3
Western Bits**



LEGAL BIT












DONUT BIT



PRONG BIT

ILLEGAL BITS

ADDENDUM #4
Examples of Gag Bits -
All Unacceptable



ADDENDUM #5 Hackamore (Junior Horse)

References to Hackamore for use with Junior Horses means the use of a flexible, braided rawhide or leather, or rope bosal, the core of which may be either leather or flexible, non-metal cable. Absolutely no rigid material will be permitted under the jaws, regardless of how padded or covered. Horse hair bosals are prohibited.

Following are examples of typical hackamores, all having bosals with rawhide inner cores of various stiffnesses, with a finished diameter of 5/8 to 11/16 inch and are from 11 to 12 inches in length. Mecates are 5/8 inch in diameter and are either rope or horse hair.

